Neuropathogenicity of an atypical anthrax causing bacterium – Bacillus cereus biovar anthracis

Inhalt

Bacillus anthracis is capable of invading the central nervous system in both animals and humans. It can elicit meningitis, a severe complication of systemic anthrax, with a mortality rate nearing 100 %. In the past two decades, it has become evident that anthrax can be caused by bacteria distinct from B. anthracis. One such bacterium is Bacillus cereus biovar anthracis (Bcbva), which is responsible for wildlife deaths across sub-Saharan African rainforests. Among its hosts is one of our closest relatives, the chimpanzee, suggesting Bcbva's zoonotic character. In this study, we investigated the previously uncharacterized neuropathogenic potential of Bcbva. We examined four formalin-fixed brains from chimpanzees that succumbed to Bcbva infections, using MRI and histology techniques, which were collected under strict biosafety measures as part of an ongoing wildlife health monitoring program in the Taï NP. Our findings revealed that, similar to B. anthracis, Bcbva is capable of breaching the blood-cerebrospinal fluid barrier and invading the meninges. Additionally, all cases exhibited Bcbva infiltration within the brain parenchyma, indicating a higher propensity to penetrate the glia limitans compared to B. anthracis. Moreover, Bcbva was found to extensively degrade brain tissue, as evidenced by significant extracellular matrix degradation. Limited activation of glial cells suggests a rapid demise following infiltration of the central nervous system.

Keywords

Bacillus cereus biovar anthracis, Neuropathology

Registration-ID code

ZOO23-473

Professional Status of the Speaker

PhD Student

Junior Scientist Status

Yes, I am a Junior Scientist.

Thema Einordnung: Pathogenesis & Dathology of Zoonotic Infections

Typ des Beitrags: Poster presentation

Kommentare:

Please italicize Bacillus cereus anthracis (not biovar) in the title and keywords. Thank you:)